

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	39	clock same external\$4 same timing same predetermined same control same read same frequency	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 17:17
S6	6	"predetermined frequency" same mask\$4 same clock same timing	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 17:21
S7	8	(predetermined specified) adj2 frequency same mask\$4 same clock same timing	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/23 14:47
S11	15	(mask\$3 adj circuit) same "timing control"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 12:13
S12	57	(mask\$3 adj circuit) same predetermined same timing	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 12:51
S13	13	(mask\$3 adj circuit) same predetermined same timing same memory	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 12:51
S14	90	(mask\$3 adj circuit\$3) same predetermined same memory	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/04 11:13
S15	142	temperature same light same predetermined same memory same circuit	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 13:31
S17	4	temperature same light same predetermined same memory same circuit and (confident\$5 test\$3 security).ti.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 13:33
S18	245	"predetermined temperature" same memory same circuit	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 13:34
S19	3	"predetermined temperature" same "predetermined intensity" same memory	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 13:35
S20	36	"predetermined temperature" same memory same read\$1 same only	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 13:39
S21	48	(predetermined fixed) adj temperature same memory same read\$1 same only	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 13:39
S22	4	reaches adj3 temperature same memory same read\$1 near3 only	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 13:46
S23	29	"predetermined temperature" same memory same read\$1 near3 only	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 13:56

S25	265	"predetermined temperature" same memory same detect\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 14:02
S26	19	("predetermined temperature" "predetermined intensity") same memory same detect\$3 same read same data	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 14:31
S27	22	"predetermined intensity" same light same memory same detect\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 14:32
S28	431	predetermined same intensity same light same memory same detect\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 14:32
S29	44	predetermined same intensity same light same memory same detect\$3 same read\$1 same data	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 14:34
S31	347	predetermined same (intensity light) same memory same detect\$3 same read same control	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 14:37
S32	30	predetermined near3 (intensity light) same memory same detect\$3 same read same control	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 14:35
S33	3	"predetermined intensity" same memory same detect\$3 same read same control	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 14:37
S34	4	("predetermined intensity" "predetermined brightness") same memory same detect\$3 same read same control	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 14:38
S35	13	("predetermined intensity" "predetermined brightness" (brightness near3 level)) same memory same detect\$3 same read same control	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 14:52
S36	212	("predetermined intensity" "predetermined brightness" (brightness near3 level)) same memory same detect\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 14:58
S37	7	"predetermined intensity" same memory same detect\$3 same only	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 15:02
S38	123	predetermined same (intensity brightness) same light same memory same detect\$3 same only	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 16:12
S39	7	predetermined same (intensity brightness) same light same memory same detect\$3 same only and control.ti.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 16:18

S41	78	predetermined near2 (intensity brightness) same light same memory same detect\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 16:18
S42	2	(mask\$3 adj circuit\$3) same predetermined same memory same output\$1 and microcomputer	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/04 11:14
S43	38	(mask\$3 adj circuit\$3) same predetermined same memory same output\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/04 12:35
S44	28	(mask\$3 adj circuit\$3) same (predetermined adj time) same output\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/04 12:36
S45	3	(mask\$3 adj circuit\$3) same predetermined same output\$1 same memory same "clock signal"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/04 13:19
S46	12	(mask\$3 adj circuit\$3) same predetermined same output\$1 same "clock signal"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/04 13:20
S47	38	(mask\$3 adj circuit\$3) same predetermined same output\$1 same memory	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/04 13:48
S48	223	"light detection circuit"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/04 13:48
S49	27	"light detection circuit" same predetermined	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/04 13:49